

What is claimed is:

1           1.     A gun rack for holding a firearm including a stock and a barrel, the  
2 stock including a butt portion, the gun rack comprising:

3               a stock support assembly including a butt support member, the butt  
4 portion of the firearm positionable in and supportable by the butt support  
5 member; and

6               a barrel support assembly including a barrel clip for grasping placement  
7 about an outer perimeter of a barrel of the firearm.

1           2.     The gun rack of Claim 1 wherein the stock support assembly further  
2 comprises at least one side stock support member connected to and extending  
3 from the butt support member.

1           3.     The gun rack of Claim 2 wherein the side stock support member  
2 further comprises an aperture located near a distal end of the side stock support  
3 member, a lock securable through the aperture and a trigger guard of the firearm  
4 for securing the firearm to the stock support assembly.

1           4.     The gun rack of Claim 2 wherein the side stock support member  
2 further comprises an oblong aperture located near a distal end of the side stock  
3 support member, a lock securable through the aperture and a trigger guard of the  
4 firearm for securing the firearm to the stock support assembly.

1           5.     The gun rack of Claim 1 further comprising:  
2               a first mounting bracket, the stock support member pivotally mounted to  
3 the first mounting bracket and pivotable about an axis of rotation; and  
4               a second mounting bracket, the barrel clip pivotally mounted to the second  
5 mounting bracket and pivotable about the axis of rotation.

1           6.     The gun rack of Claim 1 wherein the barrel support assembly  
2 further comprises a resilient barrel clip for grasping placement about a portion of  
3 a circumference of a gun barrel.

1           7.     The gun rack of Claim 1 wherein the barrel support assembly  
2 further comprises a second side stock support member connected to and  
3 extending from the butt support member, the first side stock support member  
4 opposing the second side stock support member, the second side stock support  
5 member including a substantially parallel orientation relative to the second side  
6 stock support member.

1           8.     The gun rack of Claim 7 further comprising:  
2 the first side stock support member including a first aperture;  
3 the second side stock support member including a second aperture; and  
4 a lock securable through the first aperture, the second aperture and a  
5 trigger guard of the firearm for securing the firearm to the stock support  
6 assembly.

1           9.     The gun rack of Claim 7 further comprising:  
2 the first side stock support member including a first oblong aperture;  
3 the second side stock support member including a second oblong  
4 aperture; and  
5 a lock securable through the first oblong aperture, the second oblong  
6 aperture and a trigger guard of the firearm for securing the firearm to the stock  
7 support assembly.

1           10.    The gun rack of Claim 7 further comprising:  
2 the stock support assembly including a first mounting bracket, the stock  
3 support member pivotally mounted to the first mounting bracket and pivotable  
4 about an axis of rotation; and  
5 the barrel support assembly including a second mounting bracket, the  
6 barrel clip pivotally mounted to the second mounting bracket and pivotable about

7 the axis of rotation.

1 11. A gun rack for holding a firearm including a stock and a barrel, the  
2 stock including a butt portion, the gun rack comprising:  
3 a stock support assembly including a butt support member, the stock  
4 support assembly including at least one side stock support member connected to  
5 and extending from the butt support member, the butt portion of the firearm  
6 positionable in and supportable by the butt support member;  
7 a barrel support assembly including a barrel clip for placement about an  
8 outer perimeter of a barrel of the firearm;  
9 a first mounting bracket, the stock support member pivotally mounted to  
10 the first mounting bracket and pivotable about an axis of rotation; and  
11 a second mounting bracket, the barrel clip pivotally mounted to the second  
12 mounting bracket and pivotable about the axis of rotation.

1 12. The gun rack of Claim 11 wherein the side stock support member  
2 further comprises an aperture located near a distal end of the side stock support  
3 member, a lock securable through the aperture and a trigger guard of the firearm  
4 for securing the firearm to the stock support assembly.

1 13. The gun rack of Claim 11 wherein the side stock support member  
2 further comprises an oblong aperture located near a distal end of the side stock  
3 support member, a lock securable through the aperture and a trigger guard of the  
4 firearm for securing the firearm to the stock support assembly.

1 14. The gun rack of Claim 11 wherein the barrel support assembly  
2 further comprises a resilient barrel clip for placement about a portion of a  
3 circumference of a gun barrel.

1 15. The gun rack of Claim 11 wherein the barrel support assembly  
2 further comprises a second side stock support member connected to and  
3 extending from the butt support member, the first side stock support member

4 opposing the second side stock support member, the second side stock support  
5 member including a substantially parallel orientation relative to the second side  
6 stock support member.

1 16. The gun rack of Claim 15 further comprising:  
2 the first side stock support member including a first aperture;  
3 the second side stock support member including a second aperture; and  
4 a lock securable through the first aperture, the second aperture and a  
5 trigger guard of the firearm for securing the firearm to the stock support  
6 assembly.

1 17. The gun rack of Claim 15 further comprising:  
2 the first side stock support member including a first oblong aperture;  
3 the second side stock support member including a second oblong  
4 aperture; and  
5 a lock securable through the first oblong aperture, the second oblong  
6 aperture and a trigger guard of the firearm for securing the firearm to the stock  
7 support assembly.

1 18. The gun rack of Claim 15 further comprising:  
2 the stock support assembly including a first mounting bracket, the stock  
3 support member pivotally mounted to the first mounting bracket and pivotable  
4 about an axis of rotation; and  
5 the barrel support assembly including a second mounting bracket, the  
6 barrel clip pivotally mounted to the second mounting bracket and pivotable about  
7 the axis of rotation.

1 19. A gun rack comprising:  
2 a stock support assembly including a butt support member, the stock  
3 support assembly including at least one side stock support member connected to  
4 and extending from the butt support member, the butt portion of the firearm  
5 positionable in and supportable by the butt support member; and

6 a barrel support assembly including a resilient barrel clip for grasping  
7 placement about an outer perimeter of a firearm gun barrel;

8 a first mounting bracket, the stock support member pivotally mounted to  
9 the first mounting bracket and pivotable about an axis of rotation; and

10 a second mounting bracket, the barrel clip pivotally mounted to the second  
11 mounting bracket and pivotable about the axis of rotation.

1 20. The gun rack of Claim 19 further comprising:

2 the first side stock support member including a first aperture;

3 the second side stock support member including a second aperture; and

4 a lock securable through the first aperture, the second aperture and a  
5 trigger guard of the firearm for securing the firearm to the stock support  
6 assembly.